











- [4] Zhang H, Wang Y, Zhu X, Li Y, Cai W. Bilayer Au nanoparticle-decorated WO<sub>3</sub> porous thin films: On-chip fabrication and enhanced NO<sub>2</sub> gas sensing performances with high selectivity. *Sens. Actuators, B*. 2019;280: 192-200.
- [5] Zhang C, Shi Y, Fu Z. A facile method for the fabrication of SiO<sub>2</sub> and SiO<sub>2</sub>/TiO<sub>2</sub> hollow particles using Na<sub>2</sub>SO<sub>4</sub> particles as templates. *J. Sol-Gel Sci. Technol.* 2019;91(3): 431-440.
- [6] Ma S, Wang Y, Liu C, Xu Q, Min Z. Preparation and characterization of nanoporous polyimide membrane by the template method as low-k dielectric material. *Polym. Adv. Technol.* 2016;27(3): 414-418.
- [7] Sakharov YV, Troyan PE. Technology of porous silicon dioxide films synthesis and their electrical properties. In: *24th International Crimean Conference Microwave and Telecommunication Technology, CriMiCo*; 2014. p.682-683.
- [8] Sakharov YV, Usov SP, Troyan PE. *The method of obtaining porous silicon dioxide*. RU2439743 (Patent), 2012.
- [9] Tumuluri A, Lakshun NK, Raju JK. Band gap determination using Tauc's plot for LiNbO<sub>3</sub> thin films. *Int. J. of ChemTech Res.* 2014;6: 3353-3356.
- [10] Vanstreels K, Ciofi I, Barbarin Y, Baklanov M. Influence of porosity on dielectric breakdown of ultralow-k dielectrics. *J. Vac. Sci. Technol. B*. 2013;31(5): 050604.
- [11] Troyan PE, Sakharov YuV, Zhigal'skii AA, Makrushin AS. An electron-microscopic study of SiO<sub>2</sub> films with a carbon impurity. *Russ. Phys. J.* 2006;49(2): 219-220.
- [12] Adamyan A, Adamian Z, Aroutiounian V. Capacitance method for determination of basic parameters of porous silicon. *Phys. Status Solidi C*. 2007;4(6): 1976-1980.
- [13] Grill A, Neumayer DA. Structure of low dielectric constant to extreme low dielectric constant SiCOH films: Fourier transform infrared spectroscopy characterization. *J. of App. Phys.* 2003;94(10): 6697-6707.
- [14] Cui S, Yu S, Lin B, Shen X, Zhang X, Gu D. Preparation of amine-modified SiO<sub>2</sub> aerogel from rice husk ash for CO<sub>2</sub> adsorption. *J. Porous Mater.* 2017;24(2): 455-461.
- [15] Usov SP, Sakharov YV, Troyan PE. *The Sensitive Element of the Sensor Hydrocarbons*. RU101197 (Patent), 2011.